



# Township / Range Lines:

South line of Townships 24N to 28N in Range 8E

East line of Range 9E in Townships 24N to 28N



Indiana Historical Land Survey Documents project - LW & CJH, 2021

Surveyed: 4/1820

No 14 John (10.)  
R. S.

My respects to you Sir,

I should be glad to see you


Give my compliments to all

I am with respect yours &c

Joseph Atwood

to John M<sup>r</sup> Donald





West

40.00

on a true line Between T  
23 & 24 & R & E Sec 1  
436

Set in section post from  
which a W Oak 6 fms  
14 E 5 links & Glen  
24 fms & 54 E 17 links

80.00

Set post corner of Sec  
35 & 38 724 & 4 R & E  
from which a Beech 14  
N 48 W 6 links & Beech  
9 fms & E 23 links  
Level Rich land & Fine  
Beech Sugar Oak ash &c

West


40.00

Between T 23 & 24 & R  
& E Sec 2 & 35

Set in section post from  
which a Iron wood 6 fms  
N 80 E 21 links & Sugar  
24 fms & 50 W 30 links

80.00

Set post corner of Sec 34  
& 35 & 24 & R & E from  
which a Beech 24 fms &  
61 E 12 links & 20 12 fms  
& 85 W 26 links.



As above

2

West Between T 23 &amp; 24 R 25 &amp; 26

N 8 E Sec 34 &amp; 35

40.00 Set & section post from which  
a Sugar 15 Ins N 54 W 20 links  
& to 24 Ins S 17 E 38 links80.00 Set post corner of sections  
33 & 34 & 24 & R 8 E from  
which a Beech 12 Ins S  
42 W 23 links & to 12 Ins  
N 7 E 32 links

E 3 As above

West Between T 23 &amp; 24 R 25 &amp; 26

N 8 E Sec 34 &amp; 35

36.50 <sup>Intersected and</sup> Set post on E Bank of  
Mifflinewa from which  
a Beech 24 Ins N 77 E  
24 links & to 24 Ins S  
55 E 34 links41.50 Set post on West side Mifflinewa  
from which a Sugar 9 Ins  
S 4 E 20 links & to 12  
N 8 E 30 links80.00 Set post corner of Sec 32 & 33  
& 24 & R 8 E from which a  
Beech 12 Ins S 57 E 10 links  
& Poplar 12 Ins S 57 W 37  
links as above

West

Between T 23 & 24 & R  
88 Dec 5 & 32

40.00

Set p Section post from  
which a Beech 12 1/2  
at 60 W 16 links & 40 4 1/2  
at 86 E 8 links

80.00

Set post corner of Dec  
31 & 32 & 4 & R & E from  
which a Beech 18 1/2 to 20  
at 14 W 5 links & 20 9 1/2  
links at 17 W 17 links

As above

West

Between T 23 & 24 & R  
88 Dec 6 & 31

40.00

Set p Dec post from  
which a Beech 8 1/2  
at 22 W 25 links & W Oak  
2 1/2 Ins at 15 W 25 links  
Intersect at 4 south line &

80.00

Set post for corner of  
T 23 & 24 & R 88 & E Dec  
1.5. 31. & 36 from which  
a ash 10 Ins at 78 W  
11 links & W Oak 48  
Ins at 62 E 17 links

As above



41

West

Between T24 & 25 & R9

E Sec 5 & 32

16.6

Beech 12 hrs

40.00

Set 1/4 section post from  
which a Elm 12 hrs & 47

E 5 links & B Oak 36 hrs

S 82 W 10 links


80.00

Set post corner of sections

314 32 T25 & R9 E from  
which a Beech 24 hrs & 14

E 6 links & Iron wood 4

S 5 W 15 links

 as above

West

Between T24 & 25 & R9

E Sec 6 & 31

40.00

Set 1/4 section post from which  
a Hickory 18 hrs & 57 E 27

links & ash 14 hrs & 40 W

11 links

6 North Between R 889 & T 244  
Sec 31436

32.65 Sugar 15 lbs

40.00 Set 1/4 section post from  
which a B Oak 14 lbs at 49¢  
4 links & Iron wood 6 lbs at  
24 ¢ 5 links

65.30 Beet 12 lbs

80.00 Set post corner of sections  
25886 & 244 R 88 from  
which a Elm 15 lbs at 83 ¢  
5 links & Do 6 lbs at 19 ¢  
6 links

Rolling Land Timber Bee  
Sugar with Oak 46. under grow  
Opice 46

North Between R 889 & T 244 sec  
25886

2.00 Creek 50 links S.W

3.7 Lym 18 lbs

40.00 Set 1/4 section post from  
which a B. Oak 30 lbs at 26  
¢ 17 links & Beet 15 lbs  
at 85 ¢ 2.5 links

81.52 Beet 15 lbs

80.00 Set post corner of sec  
24425 & 244 R 88 from  
which a Beet 18 lbs at 6  
¢ 36 links & Do 12 lbs at  
32 ¢ 22 links

Over as above

North

00 50  
17.48  
40.00

Between R 8 & 9 E 24  
4 sections 19 & 24  
Brook 10 links ex W  
Beet 14 Ins  
Set post from which  
a Beet 12 Ins & 5 E 35  
links & 80 8 Ins ex 83 W  
9 links

60.00

Set post corner of Sec 13  
& 24 T 24 ex R 8 & E from  
which a W Oak 24 Ins  
S 8 & 5 E 20 links & Beet  
12 Ins ex W 28 links

Land as above

North

26.75

40.00

Between R 8 & 9 E  
T 24 Sec 13 & 18

Beet 12 Ins

Set post from  
which a W Oak 24 Ins

122 E 17 links & 80 15  
Ins ex 78 W 12 links

60.00

Set post corner of Sec  
12 & 13 T 24 ex R 8 & E from  
which a W Oak 8 Ins West  
14 links & 80 5 Ins ex 14 E  
19 links

Land as above



North

Between R. 849 & T. 24  
at Sec 7 & 12

22.50

Creek 30 links at W

40.00

Set 1/4 section post from  
which a W line 15 hrs at  
24 W 29 links & Hickory  
15 hrs at 21 E 33 links

80.00

Set post corner of Section  
14 12 T 24 at R 8 & E from  
which a Hickory 6 hrs at  
36 W 15 links & Elm 6 hrs  
at 44 E 28 links

Level land timber as  
above

North

Between R. 849 & T. 24  
at Sec 14 & 6.

40.00

Set 1/4 section post from  
which a Beech 9 hrs at  
89 W 25 links & B Oak  
24 hrs at 32 W 38 links

82.00

Set post corner of T. 24  
25 at R 849 E Sec 1.  
6. 31. & 36 from which  
a Beech 12 hrs at 68 E  
15 links & 20 12 at 23 E  
27 links

March 31<sup>st</sup> 1890

var. 6° 45' E 6  
E. bound. T. 24 N. R. 8 E

---

North on E. boundary of Sec. 36

32.65 a Sugar 15 in. diam.

40.00 Set of Sec. post, from which  
a R. Oak 21, N 43 E 36, dist.  
an Ironw. C, N 39 W 5 " "

65.30 a Beech 12 in. diam.

77.00 a creek 50 ft wide, crs. S. W

80.00 Set post Cor. to Sec. 25 & 36

T. 24 N. R. 8 E, from which  
a Hickory 15, S 10 W 27, dist.

a R. Oak 22, N 45 W 26 " "

Rolling land, timber Beech  
Sugar, Ash, Oak &c.  
under <sup>th</sup> Spruce &c

1/2 E. boundary T24N, R8E

North on E. boundary of Sec. 25

40.00 Set g. sec. post, from which  
a Beech 18, N31E, 32 lks.  
a No. 10, N48E 30 "

56.57 a Beech 15 in diam.

75.50 a Brook 10 lks. wide N.W.

80.00 Set post cor. to 24 & 25

T24N, R8E, from which  
an Ash 8, S87E 30 lks. dist.  
an Ironw. 6, N44W 24 " "  
Sand timber &c. Same

E. boundary T24N, R8E

North On E. boundary of Sec. 24  
 12.48 at Beech 14 in. diam.  
 40.00 Set of Sec. post, from which  
 at Beech 20, S60 E 15 lks, dist,  
 a No 8, N51 W 22 " "  
 80.00 Set post cor. to Sec. 13 &  
 24, T24N, R8E, from which  
 a Beech 26, N23 E 34 lks,  
 an Ash 18, S18 W 10 "  
 Land timber &c. same



E. boundary T24N. R8E

North On E. boundary of Sec. 13.

21.75 a Beech 12 in. diam.

40.00 Let q. Sec. post, from which  
a W. Oak 30, N25 W23 1/2 dist.  
a Co. 20, S48 W16 " "

80.00 Let post cor. to Sec. 12 & 13

T24N. R8E. from which  
a Hickory 4, S59 E2 1/2 dist.  
a W. Oak 15, N66 W21 " "

Sand timber &c. Same

E. boundary  $\text{N} 24^{\circ} \text{N. } 128^{\circ} \text{E}$

North On E. boundary of Sec. 12

17.50 a Creek 30 lks. N. W.

40.00 Set g. Sec. post, from which

Buckeye 11, North 13 lks. dist.

a H. Oak 8,  $\text{N} 25^{\circ} \text{E } 13$  " "

80.00 Set post cor. to Sec. 1 & 12

$\text{N} 24^{\circ} \text{N. } 128^{\circ} \text{E}$ , from which

a Beech 20,  $\text{N} 36^{\circ} \text{E } 25$  lks. dist.

Brownwood 8, West 20 " "

Land timber &c. Same

E. boundary T24 N R 8 E.

North On E. boundary Sec. 1

40.00 lot of Sec. post, from which  
a live Oak 20, S 35 E 24 lks, dist  
No. 8, N 87 W 35 " "

77.00 lot post co. to Town 24 & 25  
N. Range 8 & 9 E, from which  
a live Oak 12, S 68 E 15 lks, dist  
a No. 12, N 23 E 27 " "

March 31<sup>st</sup> 1820

West Between T 24 & 25 N  
 R 8 E Section 14 35  
 4000 Lx 1/2 Section post  
 from which a Oak 10  
 In A 68 W 30 L 1/2 Beech  
 20 Lx N 70 E 13 Lx  
 8000 Lx post corner of  
 Section 35 & 36 T 25  
 N 8 E from which a  
 Beech 14 Lx N 75 W  
 35 Lx N 8 E Ash 8 Lx  
 S 70 E 22 Lx  
 over good far  
 ming land timber  
 Ash Sugar etc

~~West~~ Between T 24 & 25 N  
 R 8 E Section 2 & 35  
 4000 Lx 1/2 Section post  
 from which a Beech  
 14 Lx N 71 E 36 Lx  
 4000 13 Lx 864 W  
 37 Lx



10 80 00 Let post come of  
Section 34835  
25 NR 88 from  
which at H. Roy 14  
hts N 84 E 44 links  
8 Elm 18 hts S 88 W  
10 links  
3 over as before

Met 10 Between 24825  
NR 88 Section 3434

40 00 Let post Section  
from which a Beech  
7 hts N 72 E 10 links  
8 hts 18 hts S 12 W  
8 links

80 00 Let post come of  
Section 33834 25  
NR 88 from which  
at Beech 16 hts N  
32 E 26 links 8  
Sugar 24 hts S 35  
15 links  
3 over as before

West Between 24 & 25<sup>th</sup>  
N 8 E Section 4033

40 00 Set  $\frac{1}{2}$  section post  
from which a Beech  
8 hrs S 76 E 9 links  
& Hickory 18 hrs S  
70 W 7 links

80 00 Set post corner of  
Section 32 & 33. S 25  
N 8 E from which  
a Beech 14 hrs N 20 E  
22 links & do 8 hrs  
S 35 W 24 links  
Found as before.

West Between 24 & 25<sup>th</sup>  
N 8 E Section 5032

40 00 Set  $\frac{1}{2}$  section post  
from which a Ash  
12 hrs S 55 W 14 links  
& Oak 14 hrs N 70 E  
21 links

3000 Sit post corner of  
Section 31 & 32 T25 N  
R8E from which an  
elm 13 hrs N 61 E 39  
limb do 12 hrs S 50 W  
33 lim 1/2  
Corner before

West Between T24 & 25 N  
R8E Section 6 & 31

28 25 Intersect Mississippian area  
N & Sit post from which  
a Buckeye 12 hrs S 38

W 14 lim N 18 Ironwood  
10 hrs N 13 E 6 lim 1/2

32 50 Sit post on the West  
Bank from which a  
Ash 8 hrs S 38 W 13 lim 1/2  
A Redbud 6 hrs N 28 E  
14 hrs

40.00 Sit 1/2 Section post  
from which a Buckeye  
14 hrs N 59 E 48 lim 1/4  
do 18 hrs S 27 W 22

79.75 Town corner

6.14 13  
North Between R 889 E

25th Section 31836

1190 Beech 12 bu

2400 Brook 12 bu E

4000 Lc 1/2 section post from  
which a Beech 50 bu

858 W 10 bu 1/2 Ash

5 bu 22 E 10 bu

5400 Creek 30 bu E

6760 Ash 18 bu

8000 Lc post corner of section

25th 36 25th R 889 E

which in Ash 18 bu 22 E

30 bu 1/2 Beech 12 bu

116 W 10 bu

Over 9000 per acre

land timber track here

Aspen 10000

North Between R 889 E

25th Section 35830

4000 Lc 1/2 section post

from which a Beech

12 bu 20 E 47 bu

8000 15 bu 59 W

gleim

62.55 Beech 12 hrs  
8000 Lt post corner of  
section, 24025 250  
R 8 L from which an  
Ash 30 hrs 540 W 7  
Link 10 Oak 10 hrs  
3000 as before

North between R 869 L  
250 250 19024

24.10 Oak 14 hrs

4000 Lt post corner of  
which an Oak 12 hrs S  
22 L 5 hrs 400 18 hrs  
29 W 10 links

8000 Lt post corner of  
section, 13024 250  
R 8 L from which an  
Beech 18 hrs 237 W  
5 hrs 10 Oak 24 hrs  
522 L 45 links

3000 as before

North Between R 809 &  
T 25 N Section 13 & 18

27.40 Hickory 15 hr

40.00 Lx 1/2 Lx in post  
from which a Ash  
24 hr & 26 & 22 cunks  
40.00 on 12 hr & 70 hr  
6 cunks

71.00 Swamp & W

80.00 Dry land Lx post com-  
er of Lx on 12 & 13

T 25 N 28 & from  
which a Quaguar  
10 hr & 24 & 8 cunks &  
Hickory 14 hr & 33 W  
43 cunks  
as soon as before

North Between R 809 &  
T 25 N Section 7 & 12

30.00 Swamp &

40.00 Lx 1/2 Lx in post from  
which a Quaguar  
hr & 11 & 52 cunks



16  
56 90 Birch 10 hrs  
80.00 Lt post corner of Sec.  
1412 T 25 N R 8 E from  
which a Birch 12 hrs  
S 19 E 50 links & 18 hrs  
N 48 W 31 links  
Birch Swampy  
land

North Between N 88 9 E  
T 25 N Section 186  
14.50 Birch 14 hrs  
4000 Lt 1/2 Section from  
from which an Oak  
12 hrs S 29 W 21 hrs  
Oak 8 hrs N 22 E  
22 links

74 90 Lt post corner of  
T 25 S 26 N R 988 E  
Section 16. 31. 36  
from which an Oak  
24 hrs N 5 W 17 hrs  
Do 12 hrs S 27 E 10  
links

West <sup>17</sup>  
Between 25826  
N. 8. E Section, 2836  
2640 Poplar 18 hrs  
40.00 Let 1/2 Section part  
from which a Oak  
40 hrs 77 E 38 hrs  
8 Birch 14 hrs N  
75 W 14 hrs

80.00 Let part corner of Section  
35 E 35 S 26 N 8 E  
from which a Oak  
100 37 E 6 hrs 8 Ash  
10 hrs 37 W 5 hrs  
Cover Swampy land

---

West Between 25826  
N. 8. E Section, 2835  
40.00 Let 1/2 Section part  
from which a Oak  
14 hrs N 55 E 25 hrs  
Birch 14 hrs 36 W 26  
hrs

1800.00 Corner 34831-  
Let 1/2 section post  
from which affe.  
Kory 14 hrs N 22 E  
21 links & Beech  
6 hrs S 19 W 4 links  
3 over as before

West Between 2, 8 26  
N R 88 Section 3034

14.80 Elm 24 hrs

40.00 Let 1/2 section post  
from which affe.  
Poplar 10 hrs S 13 E  
7 links & Hick 8 hrs  
N 40 W 20 links

80.00 Let post corner of  
section 33434 7260  
N 88 E from which a  
Beech 9 hrs N 80 W 16  
links & Beech 78 links  
76 2 14 links  
3 over as before

19  
Met Between 25 & 26  
N 88 Section, 4533

21.20 Beech 22 lbs  
40.00 Lit.  $\frac{1}{2}$  Section port  
from which a Beech  
1 lb. met 332.8 cu. ft.  
do 10 met 75 ft 25 lbs

44 30 Sugar 18 lbs  
80.00 Lit.  $\frac{1}{2}$  Section 32833  
26 lb 282 from

which a Beech 10 lb  
500 lb 18 cu. ft. 18 lbs  
233 lb 35 lbs

For good farming  
and timber Beech  
Sugar at 18 lb. cu. ft.

---

Met Between 25 & 26  
N 88 Section, 5532

25.75 Hickory 12 lbs  
40.00 Lit.  $\frac{1}{2}$  Section port  
from which a Beech  
1 lb. met 352.4 cu. ft.  
do 10 met 72 lb 18 cu. ft.

54.60 Sugar 20 hrs

80.00 At port corner of  
Section 31 & 32 & 26  
N R 8 E from which  
a Beech 12 hrs N  
64 E 12 links & 40  
8 hrs S 39 W 28 links  
Over as before

West between 25 & 26  
N R 8 E Section 6 & 31

40 At 1/2 section port  
from which a Sugar  
20 hrs N 47 E 18 links  
& Ironwood 5 hrs S 57  
W 11 links

41.00 Creek 30 hrs S

62.10 Beech 20 hrs

75.00 Town corner

✓ 6.15

North Between a 829 B  
726 N. See 3/4 36

40:00 Set 14 bee post  
from which a sugar  
14 Ins 316 & 22 links  
Beach 18 Ins 878 W  
55:50 34 links  
Beach 18 Ins  
30:00 Set post for Cor  
W See 25 & 36 326  
a 8 B from which  
an Elm 18 Ins 368  
20 links 20 24 Ins  
W 2 B 24 links  
Richmond timber  
Beach Elm Ash &c

North Between a 879 B  
726 N See 25 & 36

40:00 Set 14 bee post from  
which a Beach 18 Ins  
320 & 16 links Ash  
20 Ins 60 W 6 links



2250.00

Set post for Cor.

M. See 24725

326 or 286

from which a beam

20 lbs 370 W. lbs

20 lbs 286 or 286

28 links

As before

North Between 28296

326 or See 19424

2125 History 16 lbs

40.00

Set 14 See post

from which a

beam 8 lbs 330 lbs

22 links & 20 10 lbs

35 W. 23 links

71.13 Beam 18 lbs

Set post for Cor.

40.00

M. See 13 424 326 or

286 from which a

beam 5 lbs 286

27 links 13 lbs

342 16 links

As before

North Betwena 8498 28  
326 18 213

1425 Cherry 24 Ins  
40.00 Set 1/4 See port from  
which a Mouth 20 Ins  
8458 22 Lintseth

8 Ins cr 5 1/2 1/2 28 Lint  
8000 Set 1/4 for Cor

21 See 12 213 326 cr

0.5 8 from which

Sugar 20 Ins 840 1/2

31 Lint 5 Black 10 Ins

843 8 14 Lint

Rich land timber

Walnut Oak Sugar

Black 4

North Betwena 8298

326 8 See 7 212

2300 Cane 50 1/2 1/2

40.00 Set 1/4 See port

from which a Sugar

8 Ins 8358 4 Lint

820 8 Ins 843 7 1/2

14 Lint 16 April

67.10 Cane 50 1/2 1/2 1820

67.10 Sugar 12 Ins

80.11 Set post for Cor.  
 M Sec 14 12326 or  
 a S. E. from which  
 a Lynn 7 Ins 528 ms  
 28 lints Beach 4 Ins  
 849 W 17 lints  
 as before

North Branch a S. E. 9 E  
 326 or Sec 14 6  
 50 One 50 or W 6  
 21.00 Creek 52 or E  
 4410 Set 14. Sec post  
 from which a Beach  
 16 Ins 844 or 5 lints  
 Bukeye 6 Ins 828 ms  
 11 lints

56.62 Sugar 15 Ins  
 80.94 Set post for Cor. of  
 326 427 or 849 E  
 Sec 1.6 31736 from  
 which a Sugar 18 Ins  
 39 W 23 lints poplar  
 36 Ins 875 W 34 lints  
 Oak land timber  
 Beach Oak Sugar &c.

25

West V 6.30  
 Between 326 & 290  
 R 8 E Sea 14.36  
 21.64 Ign 24 Ins  
 29.00 Spring cr. E  
 40.00 Set 1/4 Sea Post  
 from which a B. ooh  
 36 Ins 871 E 20 links  
 poplar 14 Ins 88 N  
 34 links  
 49.66 Sugar 24 Ins  
 50.00 Set Post for Cor of  
 Sea 35 & 36 327 cr  
 a 8 E from which a  
 Beach 14 Ins 84 E  
 13 links & 20 18 Ins  
 356 W 12 links  
 Rich land. timber  
 Beach 60 44 Sugar

West 6  
 Between 326 & 290  
 R 8 E Sea 2 & 35  
 23.06 Beach 15 Ins  
 40.00 Set 1/4 Sea Post  
 from which Blueeye  
 6 Ins 870 E 22 links  
 Beach 9 Ins 847 W  
 31 links  
 53.00 Brook 25 cr

<sup>26</sup>  
80.00 Set post for Cor.  
M See 34835  
324 NR 8 E  
from which a  
M pat 20 hrs.  
885 M 23 links  
Super 14 hrs 5206  
16 links as before.

West Between 5269278  
R & E See 34834

4.10 M. Wk 18 hrs

40.00 Set 14 See post  
from which a beam  
12 hrs 845 224 links  
4205 hrs 5721 1/2  
links

67.08 Beam 10 hrs

80.00 Set post for Cor.  
M See 33834 5278  
R & E from which  
a M pat 36 hrs  
830 M 30 links  
Dum 15 hrs 556  
42 links as before

West Between 326 & 274<sup>27</sup>  
 On 8 E See 4433  
 3750 B M R 41 North  
 4000 Set 14 See 108 from  
 which a Sugar 24 lbs  
 516 C 16 lints Bear  
 24 lbs & 32 M 20 lints  
 5500 Brook 12 N E  
 8000 Set post for Cor. 11  
 See 32 733 327 ex  
 On 8 E from which  
 a Sugar 20 lbs & 85 M  
 19 lints Oak 24 lbs  
 & 23 C 19 lints  
 as before

West Between 327 & 28  
 On 8 E See 5432  
 2900 Brook 40 North  
 13500 a Sugar 24 lbs  
 4000 Set 14 See 108  
 from which on  
 44 20 lbs & 43 M  
 8 lints Bear 12 200  
 & 41 C 6 lints



25.1.11 Set post for Co.  
M See 31432327  
A 8 E from which a  
W. 20 Inver 50 E  
18 links D 9 In  
538 W 15 links  
As before

1188 Belmer 326427  
A 8 E See 6431

40.11 Set 1/4 See post  
from which a Beach  
50 In 582 W 17 links  
D 18 In 575 E  
24 links

77.50 Inserted in the  
line Belmer A 748 E  
326427 8 See 1631436

29

North V 6:30  
 Between R 849 & 850  
 927 or see 31436  
 17.74 Symonore  
 23.17 Intersected the  
 Salomone Set  
 post from which  
 a lynx 12 Ins  
 81 No 11 links 3 sea  
 15 Ins 476 No  
 16 links  
 26.28 Set post from  
 which a hachery  
 18 Ins 345-812  
 103 13 inches 8 Ins  
 1630 No 11 links  
 40.00 Set 1/4 see post  
 from which an Ash  
 15 Ins 382 817 links 24 Ins  
 459 No 26 links April  
 80.00 Set post for Corby-see  
 25436 327 or 82422  
 which an Ash 15 Ins 4811  
 11 links 18 Ins 327 11 1/2 links  
 rich land timber beach  
 Ash Oak &c  
 North Between R 849 & 850  
 see 24431  
 13.63 No Oak 24 Ins  
 40.00 Set 1/4 see post from which  
 a beach 10 Ins 33 1/2 links  
 Ash 7 Ins 65 1/2 links

30 5 4:90 Hickory 18 Ins

50.00 Set post for Cor. of

See 24 & 25 & 27 &

R 8 & from which

a Beach 18 Ins

429 & 36 lints

Hickory 18 Ins & 88 Ms

18 lints as before

40th Between R 8 & 9 &

See 24 & 19 & 27 &

10.00 Creek 50 S. Ms

13.14 44.20 Ins

40.00 Set 1/4 See post

from which a Beach

9 Ins & 55 & 7 lints

& 20.4 Ins 389 Ms

21 lints

68.00 Hickory 20 Ins

80.00 Set post for Cor.

of See 13 & 24 & 27 &

R 8 & from which

a Beach 18 Ins & 17 lints

& 18 Ins 330 Ms

35 lints Rich land

timber Beach & 18

Oak Sugar &

West  
North

2.50  
28.36  
40.00

See Carter's Notes for Bal.

Between R 849 & 31  
327.8 See 13418

Brook 30 AS. W

S. Bound. Indian. Rising

Set 1/4 See 1050 from

which a Sugar

24 Ins 11 W. 28 links

Thorn 8 Ins 572 66 links

Set 1050 from Cor.

of See 12413 327.8

R. S. E. from which a

back wing 16 Ins 5316

18 links B. oak 36 Ins

1875 W. 12 links

as before.

North Between R 849 & 31  
327.8 See 13412

40.00 Set 1/4 See 1050  
from which a. n. oak  
18 Ins 5786 4 links  
Liriod. 6 Ins 542 W  
5 links

32

80.00 Set post from  
corner of Sec  
1 & 12 of T 4 N  
R 8 E from  
which  
Buck 12 480 E 10  
links and so  
24 N 5 W 25 links  
as above

North Between A  
B & C of 27 10  
Sections 10 6  
40.00 Set 1/4 Sec post from  
which Buck 18 9 14  
26 links and so  
24 N 3 E 30 links  
178.00 Set post for Cor.

of 327 428 or R 849 E  
Sec 16 31 436 from  
which a W. oak 20 links  
879 E 6 links 3 lines  
6 links 310 W 26 links  
Rich land timber  
Buck W. oak &c

West 320 33  
Between 327 & 28  
N & E Sec 1 & 36

41.10 Set 1/4 Sec post from  
which a N. Oak 24 Ins  
868 N. 22 links  
Beach 15 Ins 3226  
9 links

60.18 Hickory 24 Ins

80.10 Set post for Cor. of  
Sec 35 & 36 28 N  
a & E from which a  
N. Oak 20 Ins N 598  
26 links & D. 20 Ins  
350 N 16 links  
Rich low timber  
Beach Oak &c

West Between 327 & 28 N  
a & E Sec 2 & 35

2261 Ash 18 Ins  
4000 Set 1/4 Sec post  
from which on Ash  
15 Ins 342 E 22 links  
& D. 8 Ins 360 N  
11 links

6640 Beach 18 Ins



34

80.00 Set post for  
Cor. M. S. 33 & 35

328 x R 8 &amp;

from which R

Beach 10 Ins 5844 W

17 links &amp; 2022 Ins

847 W 36 links

As before

West Between 327 & 328 x  
R 8 & S 33 & 34

19.43 Beach 15 Ins

40.00 Set 1/4 Sec post  
from which a Sayer

20 Ins 530 W 25 links

Pickney 15 Ins &amp; 36 &amp;

17 links

41.10 B. R. R. 15 - 8 W

48.50 Poplar 28 Ins

50.00 Set post for Cor  
of Sec 33 & 34

328 x R 8 &amp; W 33

which R 45 x 24 Ins

530 W 29 links Walnut

18 Ins &amp; 89 &amp; 21 links

land on which

timber poplar 45 x Walnut  
etc

West Between 327 & 284 35  
R & E See 4433

40.00 Set 1/4 Sec post  
from which on each  
15 Ins or 31.11 links  
Sugar 16 Ins 8.84 @  
20 links

50.00 Brook 15 or @

80.00 Set post for Cor. of  
See 32 & 33 327 or  
R & E from where  
beach 18 Ins 55 @  
12 links & do 15 Ins  
329.11 12 links  
as before

---

~~West~~ Between 327 & 284  
West R & E See 5432

40.00 Set 1/4 Sec post  
from where a  
Buckeye 8 Ins were  
17 links & do 9 Ins 565 @

57.86 20 links  
W. pole 12 Ins

63.00 Brook 30 or 18.11

65.00 the same 3.11

78.00 Brook 30 or 18.11

36  
80:00 Set post for Jpr.  
of Sec 31 & 32 & 28  
R & C from which  
a Beach 14 fms 3836  
20 links & 20 12 fms.  
315 W 20 links  
as before

6  
Post Between 327 & 28  
R & C Sec 6 & 31

6:00 Interested a line  
beginning S. of J. Set  
post from which and  
4th 20 fms 3136 1/2 fms  
Beach 10 fms 18 W 32 1/2 fms

40:00 Set 14 sec post from  
which a Beach 7 fms 16 1/2  
links 18 fms 57 1/2  
27 links

75:00 Brook 21 S W 1/4

80:00 Interested North  
line Between R 7 & 8  
327 & 28 Sec  
1. 6. 31. & 36

April  
4/1820

North Bettsen R 9 & 10 37  
Q of 28 V Dec 13 & 18

40...00 Get 1/4 Sec post from

which M Oak 24 V 69

M 11 links and 20

24 V 25 Q 14 links

65.38 Intersect ditto

R and Get post  
from which

Dec 24 V 60 M 24

links M Oak 24 V 85

Q 58 links April 1820

Copied

38  
North between N 80 & 90  
of 28 N Dec 31 & 36

25..50 Branch 100 N E  
27.65 Branch 24 In  
40.00 Net 1/4 Dec post

from which  
Branch 24 925 C 14  
Link Hickory 24

43..60 N 12 C 10 Link

80...00 Net post for  
ear end of  
Dec 25 & 36 of 28  
N 2 1/2 from

Branch 24  
3 Link  
Oak 20 C 13 C  
25 Link

Land rich timber  
Bred again abstr

North between N 70 & 80  
of 28 N Dec 25 & 30

40.00 Net 1/4 Dec post  
from which  
Branch 12 930 N  
20 Link

Abstr 24 N 20 C 20  
Link

51.. 00 Creek 50 4 10  
 80.. 00 Get part for 39  
 commen of  
 Dec 24 & 25 & 28  
 N R 7 C from  
 which Beech 12  
 S 54 C 12 limbs  
 Buckeye 10 C 35  
 C 9 limbs  
 as above

Between N R 70  
 North 8 C of 28 C Dec  
 24 & 19

40.. 00 Get 10 Dec part  
 from which  
 Lynn 24 S 45 W 8  
 limbs at 10 9 38  
 C 13 limbs

80.. 00 Get part for  
 commen of  
 Dec 13 & 24 of  
 28 C N 7 C from  
 which Beech 18 of  
 10 W 18 limbs  
 and 54 10 4 35 C 5  
 limbs  
 as above



240 North Between R 788  
C of 2808 Geo 18018

25.50 Gut insect

W. L. R. and  
Set post from  
which

Blackberry 24945

C. F. Links

Buckeye 10962

Ap 5 Links



187